Hengxin steam grid
HENGXINZHENGGE

ENGLISH EDITION
NOVEMBER 2026

PRODUCT CATALOGUE

# Cookware & Kitchenware

Product photographs. Materials. Size selections.




HENGXIN

22 product families
235 specification entries

COLLECTION INDEX

# Find your product

Cookware, steamer inserts, baskets and food containers. Use the family and catalogue reference when making an inquiry.


| | |
|---|---|
| 01 Stacked Steamers | 3 |
| 02 Stockpots & Steamer Sets - 304 | 5 |
| 03 Stockpots & Steamer Sets - 316 | 7 |
| 04 Hot Pots | 8 |
| 05 Rounded-Body Pots | 9 |
| 06 Frying Pans | 10 |
| 07 Saucepans | 11 |
| 08 Insulated Food Buckets | 12 |
| 09 Insulated Food Boxes | 14 |
| 10 Basins & Washing Bowls | 15 |
| 11 Lifting Baskets | 18 |
| 12 Footed Lifting Baskets | 20 |
| 13 American-Style Rim Steamer Inserts | 22 |
| 14 Flat-Rim Steamer Inserts | 25 |
| 15 Inward-Rolled Rim Steamer Inserts | 27 |
| 16 3-in-1 Egg Steamers | 28 |
| 17 Combination Steamer Inserts | 29 |
| 18 Grooved Steamer Inserts | 30 |
| 19 Recessed Steamer Inserts | 31 |
| 20 Centre-Column Steamer Inserts | 32 |
| 21 Square Steaming Plates | 33 |
| 22 Round Steaming Trays | 34 |


## Reading the specifications

OD = outside diameter; ID = inside diameter; H = height; t = thickness; SS = stainless steel. Size / Ref. preserves the listed nominal size or reference; units are only shown where supplied. Material grades and configurations marked for confirmation are reviewed for the selected product.

Catalogue references identify selections in this edition; they are not manufacturer model numbers.

01 / PRODUCT FAMILY

# Stacked Steamers

Photographs illustrate the product family. Refer to the selection table for the listed specification. The listed 316 / 304 material configuration is to be confirmed.



A Product configuration



B Product configuration



C Product configuration



D Product configuration



E Product configuration



F Product configuration



G Product configuration



H Product configuration



I Product configuration

| Catalogue ref. | Product / Size or ref. | Listed dimensions / weight | Listed material |
|---|---|---|---|
| **HXC-01-004**<br>Photo A/B/H | **2-tier steamer pot**<br>28 | OD 28 cm / ID 26.5 cm<br>H 27 cm / t 0.4 mm<br>Weight 1450 g | 316 SS / 304 SS |
| **HXC-01-005**<br>Photo A/B/H | **2-tier steamer pot**<br>30 | OD 30 cm / ID 28.5 cm<br>H 29.5 cm / t 0.4 mm<br>Weight 1750 g | 316 SS / 304 SS |

| Catalogue ref. | Product / Size or ref. | Listed dimensions / weight | Listed material |
|---|---|---|---|
| **HXC-01-006**<br>Photo A/B/H | **2-tier steamer pot**<br>32 | OD 32 cm / ID 30.5 cm<br>H 31.5 cm / t 0.4 mm<br>Weight 1950 g | 316 SS / 304 SS |
| **HXC-01-007**<br>Photo C/D/I | **3-tier steamer pot**<br>28 | OD 28 cm / ID 26.5 cm<br>H 34.5 cm / t 0.4 mm<br>Weight 1900 g | 316 SS / 304 SS |
| **HXC-01-008**<br>Photo C/D/I | **3-tier steamer pot**<br>30 | OD 30 cm / ID 28.5 cm<br>H 38 cm / t 0.4 mm<br>Weight 2250 g | 316 SS / 304 SS |
| **HXC-01-009**<br>Photo C/D/I | **3-tier steamer pot**<br>32 | OD 32 cm / ID 30.5 cm<br>H 40.5 cm / t 0.4 mm<br>Weight 2450 g | 316 SS / 304 SS |
| **HXC-01-014**<br>Photo F/G | **Steamer insert**<br>28 | OD 27.8 cm / ID 25.5 cm<br>H 8.5 cm / t 0.4 mm<br>Weight 450 g | To confirm |
| **HXC-01-015**<br>Photo F/G | **Steamer insert**<br>30 | OD 29.8 cm / ID 27.5 cm<br>H 8.5 cm / t 0.4 mm<br>Weight 500 g | To confirm |
| **HXC-01-016**<br>Photo F/G | **Steamer insert**<br>32 | OD 32 cm / ID 29.5 cm<br>H 8.5 cm / t 0.4 mm<br>Weight 550 g | To confirm |
| **HXC-01-019**<br>Photo E | **Steaming plate**<br>28 | Small plate 25.5 cm<br>Large plate 27 cm | To confirm |
| **HXC-01-020**<br>Photo E | **Steaming plate**<br>30 | Small plate 27.8 cm<br>Large plate 28.9 cm | To confirm |
| **HXC-01-021**<br>Photo E | **Steaming plate**<br>32 | Small plate 29.8 cm<br>Large plate 30.9 cm | To confirm |

02 / PRODUCT FAMILY

# Stockpots & Steamer Sets - 304

Photographs illustrate the product family. Refer to the selection table for the listed specification.



A Product configuration



B Product configuration



C Product configuration



D Product configuration



E Product configuration



F Product configuration



G Product configuration

| Catalogue ref. | Product / Size or ref. | Listed dimensions / weight | Listed material |
|---|---|---|---|
| **HXC-02-004**<br>Photo A/B/C | **Stockpot**<br>24 | OD 25.2 cm / ID 24 cm<br>H 11 cm / t 0.6 mm<br>Weight 1400 g | 304 SS |
| **HXC-02-005**<br>Photo A/B/C | **Stockpot**<br>26 | OD 27 cm / ID 26 cm<br>H 11 cm / t 0.6 mm<br>Weight 1500 g | 304 SS |
| **HXC-02-006**<br>Photo A/B/C | **Stockpot**<br>28 | OD 29.4 cm / ID 28 cm<br>H 11.5 cm / t 0.6 mm<br>Weight 1750 g | 304 SS |

| Catalogue ref. | Product / Size or ref. | Listed dimensions / weight | Listed material |
|---|---|---|---|
| **HXC-02-007**<br>Photo A/B/C | **Stockpot**<br>30 | OD 31.4 cm / ID 30 cm<br>H 12.5 cm / t 0.6 mm<br>Weight 2000 g | 304 SS |
| **HXC-02-008**<br>Photo D/E/F | **Steamer pot**<br>24 | OD 25.2 cm / ID 24 cm<br>H 11 cm / t 0.6 mm<br>Weight 1850 g | 304 SS |
| **HXC-02-009**<br>Photo D/E/F | **Steamer pot**<br>26 | OD 27 cm / ID 26 cm<br>H 11 cm / t 0.6 mm<br>Weight 1900 g | 304 SS |
| **HXC-02-010**<br>Photo D/E/F | **Steamer pot**<br>28 | OD 29.4 cm / ID 28 cm<br>H 11.5 cm / t 0.6 mm<br>Weight 2250 g | 304 SS |
| **HXC-02-011**<br>Photo D/E/F | **Steamer pot**<br>30 | OD 31.4 cm / ID 30 cm<br>H 12.5 cm / t 0.6 mm<br>Weight 2550 g | 304 SS |
| **HXC-02-016**<br>Photo G | **Steamer insert**<br>24 | OD 25.2 cm / ID 24 cm<br>H 9.1 cm / t 0.5 mm<br>Weight 450 g | To confirm |
| **HXC-02-017**<br>Photo G | **Steamer insert**<br>26 | OD 27 cm / ID 26 cm<br>H 9.1 cm / t 0.5 mm<br>Weight 500 g | To confirm |
| **HXC-02-018**<br>Photo G | **Steamer insert**<br>28 | OD 29.3 cm / ID 28 cm<br>H 9.1 cm / t 0.5 mm<br>Weight 530 g | To confirm |
| **HXC-02-019**<br>Photo G | **Steamer insert**<br>30 | OD 31.4 cm / ID 30 cm<br>H 9.1 cm / t 0.5 mm<br>Weight 580 g | To confirm |

03 / PRODUCT FAMILY

# Stockpots & Steamer Sets - 316

Photographs illustrate the product family. Refer to the selection table for the listed specification.



A Product configuration



B Product configuration



C Product configuration

| Catalogue ref. | Product / Size or ref. | Listed dimensions / weight | Listed material |
|---|---|---|---|
| **HXC-03-004**<br>Photo A | **Stockpot**<br>20 | OD 21.5 cm / ID 20 cm<br>H 11.5 cm / t 0.4 mm<br>Weight 1190 g | 316 SS |
| **HXC-03-005**<br>Photo A | **Stockpot**<br>22 | OD 23.5 cm / ID 22 cm<br>H 12.5 cm / t 0.4 mm<br>Weight 1360 g | 316 SS |
| **HXC-03-006**<br>Photo A | **Stockpot**<br>24 | OD 25.5 cm / ID 24 cm<br>H 13.5 cm / t 0.4 mm<br>Weight 1280 g | 316 SS |
| **HXC-03-007**<br>Photo B | **Steamer pot**<br>20 | OD 21.5 cm / ID 20 cm<br>H 16.5 cm / t 0.4 mm<br>Weight 1540 g | 316 SS |
| **HXC-03-008**<br>Photo B | **Steamer pot**<br>22 | OD 23.5 cm / ID 22 cm<br>H 17.5 cm / t 0.4 mm<br>Weight 1750 g | 316 SS |
| **HXC-03-009**<br>Photo B | **Steamer pot**<br>24 | OD 25.5 cm / ID 24 cm<br>H 18.5 cm / t 0.4 mm<br>Weight 1970 g | 316 SS |
| **HXC-03-014**<br>Photo C | **Steamer insert**<br>20 | OD 21.5 cm / ID 20 cm<br>H 9 cm / t 0.4 mm<br>Weight 350 g | To confirm |
| **HXC-03-015**<br>Photo C | **Steamer insert**<br>22 | OD 23.5 cm / ID 22 cm<br>H 9 cm / t 0.4 mm<br>Weight 390 g | To confirm |
| **HXC-03-016**<br>Photo C | **Steamer insert**<br>24 | OD 25.5 cm / ID 24 cm<br>H 9 cm / t 0.4 mm<br>Weight 420 g | To confirm |

04 / PRODUCT FAMILY

# Hot Pots

Photographs illustrate the product family. Refer to the selection table for the listed specification.



A Product configuration

| Catalogue ref. | Product / Size or ref. | Listed dimensions / weight | Listed material |
|---|---|---|---|
| **HXC-04-004**<br>**Photo A** | **Hot pot**<br>30 | OD 30 cm / ID 28 cm<br>H 16 cm / t 0.38 mm<br>Weight 1500 g | 304 SS / 201 SS<br>Grade to confirm |

05 / PRODUCT FAMILY

# Rounded-Body Pots

Photographs illustrate the product family. Refer to the selection table for the listed specification.



A Product configuration

| Catalogue ref. | Product / Size or ref. | Listed dimensions / weight | Listed material |
|---|---|---|---|
| **HXC-05-004**<br>Photo A | **Rounded-body pot**<br>22 | OD 23 cm / ID 22 cm<br>H 17 cm / t 0.65 mm<br>Weight 970 g | 201 SS |
| **HXC-05-005**<br>Photo A | **Rounded-body pot**<br>24 | OD 25.5 cm / ID 24.5 cm<br>H 18.8 cm / t 0.65 mm<br>Weight 1160 g | 201 SS |

06 / PRODUCT FAMILY

# Frying Pans

Photographs illustrate the product family. Refer to the selection table for the listed specification.



A Product configuration



B Product configuration

| Catalogue ref. | Product / Size or ref. | Listed dimensions / weight | Listed material |
|---|---|---|---|
| **HXC-06-004**<br>**Photo A/B** | **Frying pan**<br>20 | OD 21.3 cm / ID 20 cm<br>H 5.5 cm / t 0.5 mm<br>Weight 1120 g | 304 SS |
| **HXC-06-005**<br>**Photo A/B** | **Frying pan**<br>22 | OD 23.5 cm / ID 22 cm<br>H 5.5 cm / t 0.5 mm<br>Weight 1280 g | 304 SS |
| **HXC-06-006**<br>**Photo A/B** | **Frying pan**<br>24 | OD 25.5 cm / ID 24 cm<br>H 5.5 cm / t 0.5 mm<br>Weight 1470 g | 304 SS |
| **HXC-06-007**<br>**Photo A/B** | **Frying pan**<br>26 | OD 27 cm / ID 26 cm<br>H 5.5 cm / t 0.5 mm<br>Weight 1700 g | 304 SS |
| **HXC-06-008**<br>**Photo A/B** | **Frying pan**<br>28 | OD 29.2 cm / ID 28 cm<br>H 5.5 cm / t 0.5 mm<br>Weight 1820 g | 304 SS |
| **HXC-06-009**<br>**Photo A/B** | **Frying pan**<br>30 | OD 31.2 cm / ID 30 cm<br>H 5.5 cm / t 0.5 mm<br>Weight To confirm | 304 SS |

07 / PRODUCT FAMILY

# Saucepans

Photographs illustrate the product family. Refer to the selection table for the listed specification.



A Product configuration



B Product configuration

| Catalogue ref. | Product / Size or ref. | Listed dimensions / weight | Listed material |
|---|---|---|---|
| **HXC-07-004**<br>Photo A/B | **Saucepan**<br>16 | OD 17.5 cm / ID 16 cm<br>H 8.5 cm / t 0.5 mm<br>Weight 630 g | 304 SS |
| **HXC-07-005**<br>Photo A/B | **Saucepan**<br>18 | OD 20 cm / ID 18 cm<br>H 9.5 cm / t 0.4 mm<br>Weight 470 g | 316 SS |

08 / PRODUCT FAMILY

# Insulated Food Buckets

Representative bucket photograph. Individual capacities and listed dimensions appear in the table.



A Product configuration

| Catalogue ref. | Product / Size or ref. | Listed dimensions / weight | Listed material |
|---|---|---|---|
| HXC-08-004<br>Photo A | **Insulated food bucket**<br>5 L | OD 23.5 cm / ID 19 cm<br>H 19 cm<br>Weight 870 g | PP / foam / 201 SS<br>Red |
| HXC-08-005<br>Photo A | **Insulated food bucket**<br>10 L | OD 28 cm / ID 25 cm<br>H 25.5 cm<br>Weight 1407 g | PP / foam / 201 SS<br>Red |
| HXC-08-006<br>Photo A | **Insulated food bucket**<br>20 L | OD 28 cm / ID 25 cm<br>H 35.5 cm<br>Weight 1826 g | PP / foam / 201 SS<br>Red |
| HXC-08-007<br>Photo A | **Insulated food bucket**<br>30 L | OD 36.5 cm / ID 31.5 cm<br>H 30 cm<br>Weight 2929 g | PP / foam / 201 SS<br>Red |
| HXC-08-008<br>Photo A | **Insulated food bucket**<br>40 L | OD 36.5 cm / ID 31.5 cm<br>H 42 cm<br>Weight 3614 g | PP / foam / 201 SS<br>Red |
| HXC-08-009<br>Photo A | **Insulated food bucket**<br>50 L | OD 41.5 cm / ID 36.2 cm<br>H 41 cm<br>Weight 3913 g | PP / foam / 201 SS<br>Red |
| HXC-08-010<br>Photo A | **Insulated food bucket**<br>60 L | OD 41.5 cm / ID 36.2 cm<br>H 50.5 cm<br>Weight 4865 g | PP / foam / 201 SS<br>Red |
| HXC-08-011<br>Photo A | **Insulated food bucket**<br>70 L | OD 46.5 cm / ID 42 cm<br>H 41 cm<br>Weight 5262 g | PP / foam / 201 SS<br>Red |
| HXC-08-012<br>Photo A | **Insulated food bucket**<br>80 L | OD 46.5 cm / ID 42 cm<br>H 57.5 cm<br>Weight 5687 g | PP / foam / 201 SS<br>Red |

| Catalogue ref. | Product / Size or ref. | Listed dimensions / weight | Listed material |
|---|---|---|---|
| **HXC-08-015**<br>Photo A | **Bucket set**<br>5 L-10 L-40 L-70 L | To confirm | To confirm |
| **HXC-08-016**<br>Photo A | **Bucket set**<br>5 L-20 L-40 L-80 L | To confirm | To confirm |
| **HXC-08-017**<br>Photo A | **Bucket set**<br>5 L-10 L-30 L-70 L | To confirm | To confirm |
| **HXC-08-018**<br>Photo A | **Bucket set**<br>5 L-10 L-30 L-80 L | To confirm | To confirm |
| **HXC-08-019**<br>Photo A | **Bucket set**<br>5 L-10 L-60 L | To confirm | To confirm |
| **HXC-08-020**<br>Photo A | **Bucket set**<br>5 L-20 L-60 L | To confirm | To confirm |
| **HXC-08-021**<br>Photo A | **Bucket set**<br>5 L-10 L-50 L | To confirm | To confirm |
| **HXC-08-022**<br>Photo A | **Bucket set**<br>5 L-20 L-50 L | To confirm | To confirm |

09 / PRODUCT FAMILY

# Insulated Food Boxes

Representative box photograph. Divider configurations and listed capacities appear in the table.



A Product configuration

| Catalogue ref. | Product / Size or ref. | Listed dimensions / weight | Listed material |
|---|---|---|---|
| HXC-09-004<br>Photo A | **Insulated food box**<br>31 L / No divider | Listed: 63 cm x 50.5 cm x 28 cm<br>Capacity 31 L | PP / foam<br>Red / Yellow / Green |
| HXC-09-005<br>Photo A | **Insulated food box**<br>31 L / 1 compartment | Listed: 63 cm x 50.5 cm x 28 cm<br>Capacity 31 L | PP / foam / 201 SS<br>Red / Yellow / Green |
| HXC-09-006<br>Photo A | **Insulated food box**<br>31 L / 2 compartments | Listed: 63 cm x 50.5 cm x 28 cm<br>Capacity 31 L | PP / foam / 201 SS<br>Red / Yellow / Green |
| HXC-09-007<br>Photo A | **Insulated food box**<br>31 L / 3 compartments | Listed: 63 cm x 50.5 cm x 28 cm<br>Capacity 31 L | PP / foam / 201 SS<br>Red / Yellow / Green |
| HXC-09-008<br>Photo A | **Insulated food box**<br>31 L / 4 compartments | Listed: 63 cm x 50.5 cm x 28 cm<br>Capacity 31 L | PP / foam / 201 SS<br>Red / Yellow / Green |
| HXC-09-009<br>Photo A | **Insulated food box**<br>31 L / 5 compartments | Listed: 63 cm x 50.5 cm x 28 cm<br>Capacity 31 L | PP / foam / 201 SS<br>Red / Yellow / Green |
| HXC-09-010<br>Photo A | **Insulated food box**<br>31 L / 6 compartments | Listed: 63 cm x 50.5 cm x 28 cm<br>Capacity 31 L | PP / foam / 201 SS<br>Red / Yellow / Green |
| HXC-09-011<br>Photo A | **Insulated food box**<br>15.5 L / No divider | Listed: 36 cm x 33 cm x 28 cm<br>Capacity 15.5 L | PP / foam<br>Red / Yellow / Green |
| HXC-09-012<br>Photo A | **Insulated food box**<br>15.5 L / 1 compartment | Listed: 36 cm x 33 cm x 28 cm<br>Capacity 15.5 L | PP / foam / 201 SS<br>Red / Yellow / Green |
| HXC-09-013<br>Photo A | **Insulated food box**<br>15.5 L / 2 compartments | Listed: 36 cm x 33 cm x 28 cm<br>Capacity 15.5 L | PP / foam / 201 SS<br>Red / Yellow / Green |
| HXC-09-016<br>Photo A | **Nested box set**<br>Nested large + small box set | To confirm | To confirm |

10 / PRODUCT FAMILY

# Basins & Washing Bowls

Photographs illustrate the product family. Refer to the selection table for the listed specification.



A Product configuration



B Product configuration



C Product configuration



D Product configuration



E Product configuration



F Product configuration

| Catalogue ref. | Product / Size or ref. | Listed dimensions / weight | Listed material |
|---|---|---|---|
| **HXC-10-004**<br>Photo A | **Basin**<br>20 cm | Weight 220 g | 201 SS |
| **HXC-10-005**<br>Photo A | **Basin**<br>22 cm | Weight 250 g | 201 SS |
| **HXC-10-006**<br>Photo A | **Basin**<br>24 cm | Weight 285 g | 201 SS |
| **HXC-10-007**<br>Photo A | **Basin**<br>26 cm | Weight 330 g | 201 SS |
| **HXC-10-008**<br>Photo A | **Basin**<br>28 cm | Weight 380 g | 201 SS |
| **HXC-10-009**<br>Photo A | **Basin**<br>30 cm | Weight 480 g | 201 SS |
| **HXC-10-010**<br>Photo A | **Basin**<br>32 cm | Weight 550 g | 201 SS |
| **HXC-10-011**<br>Photo B | **Wide-curve rim basin (2.5)**<br>28 cm | Weight 250 g | 201 SS |

| Catalogue ref. | Product / Size or ref. | Listed dimensions / weight | Listed material |
|---|---|---|---|
| HXC-10-012<br>Photo B | **Wide-curve rim basin (2.5)**<br>30 cm | Weight 300 g | 201 SS |
| HXC-10-013<br>Photo B | **Wide-curve rim basin (2.5)**<br>32 cm | Weight 350 g | 201 SS |
| HXC-10-014<br>Photo B | **Wide-curve rim basin (2.5)**<br>34 cm | Weight 410 g | 201 SS |
| HXC-10-015<br>Photo B | **Wide-curve rim basin (2.5)**<br>36 cm | Weight 450 g | 201 SS |
| HXC-10-016<br>Photo B | **Wide-curve rim basin (2.5)**<br>38 cm | Weight 580 g | 201 SS |
| HXC-10-017<br>Photo B | **Wide-curve rim basin (2.5)**<br>40 cm | Weight 680 g | 201 SS |
| HXC-10-018<br>Photo C | **Basin (1.6)**<br>28 cm | Weight 220 g | 201 SS |
| HXC-10-019<br>Photo C | **Basin (1.6)**<br>30 cm | Weight 250 g | 201 SS |
| HXC-10-020<br>Photo C | **Basin (1.6)**<br>32 cm | Weight 292 g | 201 SS |
| HXC-10-021<br>Photo C | **Basin (1.6)**<br>34 cm | Weight 317 g | 201 SS |
| HXC-10-022<br>Photo C | **Basin (1.6)**<br>36 cm | Weight 350 g | 201 SS |
| HXC-10-023<br>Photo C | **Basin (1.6)**<br>38 cm | Weight 390 g | 201 SS |
| HXC-10-024<br>Photo C | **Basin (1.6)**<br>40 cm | Weight 450 g | 201 SS |
| HXC-10-025<br>Photo D | **Rice-washing bowl**<br>28 cm | Weight 235 g | 201 SS |
| HXC-10-026<br>Photo D | **Rice-washing bowl**<br>30 cm | Weight 270 g | 201 SS |
| HXC-10-027<br>Photo D | **Rice-washing bowl**<br>32 cm | Weight 310 g | 201 SS |
| HXC-10-028<br>Photo D | **Rice-washing bowl**<br>34 cm | Weight 370 g | 201 SS |
| HXC-10-029<br>Photo D | **Rice-washing bowl**<br>36 cm | Weight 410 g | 201 SS |
| HXC-10-030<br>Photo D | **Rice-washing bowl**<br>38 cm | Weight 465 g | 201 SS |
| HXC-10-031<br>Photo D | **Rice-washing bowl**<br>40 cm | Weight 560 g | 201 SS |

| Catalogue ref. | Product / Size or ref. | Listed dimensions / weight | Listed material |
|---|---|---|---|
| **HXC-10-032** Photo E | **Vegetable-washing bowl (1.6)** 28 cm | Weight 200 g | 201 SS |
| **HXC-10-033** Photo E | **Vegetable-washing bowl (1.6)** 30 cm | Weight 230 g | 201 SS |
| **HXC-10-034** Photo E | **Vegetable-washing bowl (1.6)** 32 cm | Weight 250 g | 201 SS |
| **HXC-10-035** Photo E | **Vegetable-washing bowl (1.6)** 34 cm | Weight 290 g | 201 SS |
| **HXC-10-036** Photo E | **Vegetable-washing bowl (1.6)** 36 cm | Weight 340 g | 201 SS |
| **HXC-10-037** Photo E | **Vegetable-washing bowl (1.6)** 38 cm | Weight 390 g | 201 SS |
| **HXC-10-038** Photo E | **Vegetable-washing bowl (1.6)** 40 cm | Weight 460 g | 201 SS |
| **HXC-10-039** Photo F | **Rice-washing bowl (1.6)** 28 cm | Weight 210 g | 201 SS |
| **HXC-10-040** Photo F | **Rice-washing bowl (1.6)** 30 cm | Weight 240 g | 201 SS |
| **HXC-10-041** Photo F | **Rice-washing bowl (1.6)** 32 cm | Weight 270 g | 201 SS |
| **HXC-10-042** Photo F | **Rice-washing bowl (1.6)** 34 cm | Weight 300 g | 201 SS |
| **HXC-10-043** Photo F | **Rice-washing bowl (1.6)** 36 cm | Weight 350 g | 201 SS |
| **HXC-10-044** Photo F | **Rice-washing bowl (1.6)** 38 cm | Weight 400 g | 201 SS |
| **HXC-10-045** Photo F | **Rice-washing bowl (1.6)** 40 cm | Weight 470 g | 201 SS |

11 / PRODUCT FAMILY

# Lifting Baskets

Photographs illustrate the product family. Refer to the selection table for the listed specification.



A Product configuration



B Product configuration

| Catalogue ref. | Product / Size or ref. | Listed dimensions / weight | Listed material |
|---|---|---|---|
| **HXC-11-004**<br>**Photo A/B** | **Lifting basket**<br>16/2 L | OD 16.2 cm / ID 14 cm<br>H To confirm / t 0.35 mm<br>Weight To confirm | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-11-005**<br>**Photo A/B** | **Lifting basket**<br>18 | OD 18.9 cm / ID 18 cm<br>H 7.6 cm / t 0.35 mm<br>Weight To confirm | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-11-006**<br>**Photo A/B** | **Lifting basket**<br>18 | OD 16.5 cm / ID 14.7 cm<br>H 6.5 cm / t 0.35 mm<br>Weight 117 g | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-11-007**<br>**Photo A/B** | **Lifting basket**<br>18 deep/2.5 L | OD 17.5 cm / ID 16 cm<br>H 7.5 cm / t 0.35 mm<br>Weight 150 g | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-11-008**<br>**Photo A/B** | **Lifting basket**<br>20 | OD 20 cm / ID 18.5 cm<br>H 7.5 cm / t 0.35 mm<br>Weight 198 g | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-11-009**<br>**Photo A/B** | **Lifting basket**<br>22 | OD 21 cm / ID 19.1 cm<br>H 6.5 cm / t 0.35 mm<br>Weight 180 g | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-11-010**<br>**Photo A/B** | **Lifting basket**<br>22B | OD 21.5 cm / ID 19.8 cm<br>H 6.5 cm / t 0.35 mm<br>Weight 193 g | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-11-011**<br>**Photo A/B** | **Lifting basket**<br>24 | OD 23 cm / ID 21.2 cm<br>H 6.5 cm / t 0.35 mm<br>Weight 196 g | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-11-012**<br>**Photo A/B** | **Lifting basket**<br>26 | OD 25 cm / ID 23.3 cm<br>H 7 cm / t 0.35 mm<br>Weight 237 g | 304 SS / 201 SS<br>Grade to confirm |

| Catalogue ref. | Product / Size or ref. | Listed dimensions / weight | Listed material |
|---|---|---|---|
| **HXC-11-013**<br>**Photo A/B** | **Lifting basket**<br>28 | OD 27 cm / ID 25.2 cm<br>H 7 cm / t 0.35 mm<br>Weight 265 g | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-11-014**<br>**Photo A/B** | **Lifting basket**<br>1.2 L | OD 14.9 cm / ID 13 cm<br>H 7.5 cm / t 0.35 mm<br>Weight 100 g | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-11-015**<br>**Photo A/B** | **Lifting basket**<br>3 L | OD 19.8 cm / ID 18 cm<br>H 7.5 cm / t 0.35 mm<br>Weight 173 g | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-11-016**<br>**Photo A/B** | **Lifting basket**<br>4 L | OD 22.3 cm / ID 20.1 cm<br>H 8.8 cm / t 0.35 mm<br>Weight 207 g | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-11-017**<br>**Photo A/B** | **Lifting basket**<br>5 L | OD 22.4 cm / ID 20.2 cm<br>H 10 cm / t 0.35 mm<br>Weight 268 g | 304 SS / 201 SS<br>Grade to confirm |

12 / PRODUCT FAMILY

# Footed Lifting Baskets

Photographs illustrate the product family. Refer to the selection table for the listed specification.



A Product configuration



B Product configuration

| Catalogue ref. | Product / Size or ref. | Listed dimensions / weight | Listed material |
|---|---|---|---|
| **HXC-12-004**<br>**Photo A/B** | **Footed lifting basket**<br>16/2 L | OD 16.2 cm / ID 14 cm<br>H To confirm / t 0.35 mm<br>Weight To confirm | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-12-005**<br>**Photo A/B** | **Footed lifting basket**<br>18 | OD 18.9 cm / ID 18 cm<br>H 7.6 cm / t 0.35 mm<br>Weight To confirm | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-12-006**<br>**Photo A/B** | **Footed lifting basket**<br>18 | OD 16.5 cm / ID 14.7 cm<br>H 6.5 cm / t 0.35 mm<br>Weight 117 g | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-12-007**<br>**Photo A/B** | **Footed lifting basket**<br>18 deep/2.5 L | OD 17.5 cm / ID 16 cm<br>H 7.5 cm / t 0.35 mm<br>Weight 150 g | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-12-008**<br>**Photo A/B** | **Footed lifting basket**<br>20 | OD 20 cm / ID 18.5 cm<br>H 7.5 cm / t 0.35 mm<br>Weight 198 g | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-12-009**<br>**Photo A/B** | **Footed lifting basket**<br>22 | OD 21 cm / ID 19.1 cm<br>H 6.5 cm / t 0.35 mm<br>Weight 180 g | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-12-010**<br>**Photo A/B** | **Footed lifting basket**<br>22B | OD 21.5 cm / ID 19.8 cm<br>H 6.5 cm / t 0.35 mm<br>Weight 193 g | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-12-011**<br>**Photo A/B** | **Footed lifting basket**<br>24 | OD 23 cm / ID 21.2 cm<br>H 6.5 cm / t 0.35 mm<br>Weight 196 g | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-12-012**<br>**Photo A/B** | **Footed lifting basket**<br>26 | OD 25 cm / ID 23.3 cm<br>H 7 cm / t 0.35 mm<br>Weight 237 g | 304 SS / 201 SS<br>Grade to confirm |

| Catalogue ref. | Product / Size or ref. | Listed dimensions / weight | Listed material |
|---|---|---|---|
| **HXC-12-013**<br>**Photo A/B** | **Footed lifting basket**<br>28 | OD 27 cm / ID 25.2 cm<br>H 7 cm / t 0.35 mm<br>Weight 265 g | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-12-014**<br>**Photo A/B** | **Footed lifting basket**<br>1.2 L | OD 14.9 cm / ID 13 cm<br>H 7.5 cm / t 0.35 mm<br>Weight 100 g | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-12-015**<br>**Photo A/B** | **Footed lifting basket**<br>3 L | OD 19.8 cm / ID 18 cm<br>H 7.5 cm / t 0.35 mm<br>Weight 173 g | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-12-016**<br>**Photo A/B** | **Footed lifting basket**<br>4 L | OD 22.3 cm / ID 20.1 cm<br>H 8.8 cm / t 0.35 mm<br>Weight 207 g | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-12-017**<br>**Photo A/B** | **Footed lifting basket**<br>5 L | OD 22.4 cm / ID 20.2 cm<br>H 10 cm / t 0.35 mm<br>Weight 268 g | 304 SS / 201 SS<br>Grade to confirm |

13 / PRODUCT FAMILY

# American-Style Rim Steamer Inserts

Photographs illustrate the product family. Refer to the selection table for the listed specification.



A Product configuration



B Product configuration



C Product configuration



D Product configuration



E Product configuration

| Catalogue ref. | Product / Size or ref. | Listed dimensions / weight | Listed material |
|---|---|---|---|
| **HXC-13-004**<br>**Photo**<br>**A/B/C/D/E** | **American-style rim insert**<br>18 | OD 17.5 cm / ID 15.8 cm<br>H 6.5 cm / t 0.26 mm<br>Weight 131 g | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-13-005**<br>**Photo**<br>**A/B/C/D/E** | **American-style rim insert**<br>18B | OD 18 cm / ID 16.3 cm<br>H 6 cm / t 0.27 mm<br>Weight 95 g | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-13-006**<br>**Photo**<br>**A/B/C/D/E** | **American-style rim insert**<br>18D | OD 16.6 cm / ID 15.3 cm<br>H 6.5 cm / t 0.4 mm<br>Weight 122 g | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-13-007**<br>**Photo**<br>**A/B/C/D/E** | **American-style rim insert**<br>20 | OD 20.2 cm / ID 18 cm<br>H 6.5 cm / t 0.27 mm<br>Weight 143 g | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-13-008**<br>**Photo**<br>**A/B/C/D/E** | **American-style rim insert**<br>20B | OD 20.2 cm / ID 18.8 cm<br>H 6.5 cm / t 0.27 mm<br>Weight 120 g | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-13-009**<br>**Photo**<br>**A/B/C/D/E** | **American-style rim insert**<br>20C | OD 20.4 cm / ID 18.6 cm<br>H 6.8 cm / t 0.28 mm<br>Weight 139 g | 304 SS / 201 SS<br>Grade to confirm |

| Catalogue ref. | Product / Size or ref. | Listed dimensions / weight | Listed material |
|---|---|---|---|
| **HXC-13-010**<br>Photo<br>A/B/C/D/E | **American-style rim insert**<br>20D | OD 20 cm / ID 18.2 cm<br>H 6.7 cm / t 0.28 mm<br>Weight 139 g | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-13-011**<br>Photo<br>A/B/C/D/E | **American-style rim insert**<br>22 | OD 22.8 cm / ID 20.7 cm<br>H 7 cm / t 0.27 mm<br>Weight 153 g | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-13-012**<br>Photo<br>A/B/C/D/E | **American-style rim insert**<br>22B | OD 21.6 cm / ID 19.7 cm<br>H 6.7 cm / t 0.27 mm<br>Weight 157 g | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-13-013**<br>Photo<br>A/B/C/D/E | **American-style rim insert**<br>22C | OD 22.3 cm / ID 20.6 cm<br>H 7 cm / t 0.27 mm<br>Weight 151 g | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-13-014**<br>Photo<br>A/B/C/D/E | **American-style rim insert**<br>22D | OD 22.5 cm / ID 19.7 cm<br>H 7 cm / t 0.35 mm<br>Weight To confirm | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-13-015**<br>Photo<br>A/B/C/D/E | **American-style rim insert**<br>24 | OD 24.5 cm / ID 22.1 cm<br>H 6.7 cm / t 0.27 mm<br>Weight 176 g | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-13-016**<br>Photo<br>A/B/C/D/E | **American-style rim insert**<br>24B | OD 24.2 cm / ID 22.1 cm<br>H 6.5 cm / t To confirm<br>Weight To confirm | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-13-017**<br>Photo<br>A/B/C/D/E | **American-style rim insert**<br>26 | OD 26.2 cm / ID 24.3 cm<br>H 7 cm / t 0.27 mm<br>Weight 217 g | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-13-018**<br>Photo<br>A/B/C/D/E | **American-style rim insert**<br>26B | OD 26.3 cm / ID 23.3 cm<br>H 7.2 cm / t 0.27 mm<br>Weight 187 g | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-13-019**<br>Photo<br>A/B/C/D/E | **American-style rim insert**<br>26C | OD 27 cm / ID 24.6 cm<br>H 8 cm / t 0.28 mm<br>Weight To confirm | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-13-020**<br>Photo<br>A/B/C/D/E | **American-style rim insert**<br>26D | OD 25.7 cm / ID 23.5 cm<br>H 8 cm / t 0.35 mm<br>Weight 249 g | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-13-021**<br>Photo<br>A/B/C/D/E | **American-style rim insert**<br>26E | OD 26 cm / ID 24 cm<br>H 8.4 cm / t 0.26 mm<br>Weight To confirm | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-13-022**<br>Photo<br>A/B/C/D/E | **American-style rim insert**<br>26F | OD 26.9 cm / ID 24.8 cm<br>H 8 cm / t 0.26 mm<br>Weight 238 g | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-13-023**<br>Photo<br>A/B/C/D/E | **American-style rim insert**<br>28 | OD 28.4 cm / ID 26.5 cm<br>H 7.7 cm / t 0.27 mm<br>Weight 218 g | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-13-024**<br>Photo<br>A/B/C/D/E | **American-style rim insert**<br>28B | OD 28 cm / ID 26 cm<br>H 8 cm / t 0.27 mm<br>Weight 237 g | 304 SS / 201 SS<br>Grade to confirm |

| Catalogue ref. | Product / Size or ref. | Listed dimensions / weight | Listed material |
|---|---|---|---|
| **HXC-13-025**<br>Photo<br>A/B/C/D/E | **American-style rim insert**<br>30 | OD 29.8 cm / ID 27.5 cm<br>H 8.5 cm / t 0.3 mm<br>Weight 340 g | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-13-026**<br>Photo<br>A/B/C/D/E | **American-style rim insert**<br>32 | OD 32.5 cm / ID 30.1 cm<br>H 9.5 cm / t 0.33 mm<br>Weight 415 g | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-13-027**<br>Photo<br>A/B/C/D/E | **American-style rim insert**<br>32B | OD 31.2 cm / ID 29.4 cm<br>H 9 cm / t 0.28 mm<br>Weight 323 g | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-13-028**<br>Photo<br>A/B/C/D/E | **American-style rim insert**<br>34 | OD 33.5 cm / ID 31.5 cm<br>H 8.5 cm / t 0.33 mm<br>Weight 330 g | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-13-029**<br>Photo<br>A/B/C/D/E | **American-style rim insert**<br>36 | OD 36.1 cm / ID 33.8 cm<br>H 11 cm / t 0.42 mm<br>Weight 570 g | 304 SS / 201 SS<br>Grade to confirm |

14 / PRODUCT FAMILY

# Flat-Rim Steamer Inserts

Photographs illustrate the product family. Refer to the selection table for the listed specification.



A Product configuration



B Product configuration



C Product configuration

| Catalogue ref. | Product / Size or ref. | Listed dimensions / weight | Listed material |
|---|---|---|---|
| **HXC-14-004**<br>Photo A/B/C | **Flat-rim steamer insert**<br>16 | OD 17.4 cm / ID 16 cm<br>H 7 cm / t 0.31 mm<br>Weight 153.6 g | 316 SS |
| **HXC-14-005**<br>Photo A/B/C | **Flat-rim steamer insert**<br>18 | OD 19 cm / ID 18 cm<br>H 7 cm / t 0.31 mm<br>Weight 176 g | 316 SS |
| **HXC-14-006**<br>Photo A/B/C | **Flat-rim steamer insert**<br>18A | OD 16.5 cm / ID 15.7 cm<br>H 6.5 cm / t 0.26 mm<br>Weight 101 g | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-14-007**<br>Photo A/B/C | **Flat-rim steamer insert**<br>18B | OD 17.6 cm / ID 16.5 cm<br>H 6 cm / t 0.26 mm<br>Weight 98 g | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-14-008**<br>Photo A/B/C | **Flat-rim steamer insert**<br>18C | OD 18 cm / ID 16.3 cm<br>H 6 cm / t 0.26 mm<br>Weight 100 g | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-14-009**<br>Photo A/B/C | **Flat-rim steamer insert**<br>18D | OD 18.2 cm / ID 17 cm<br>H 7.5 cm / t 0.3 mm<br>Weight To confirm | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-14-010**<br>Photo A/B/C | **Flat-rim steamer insert**<br>20 | OD 19.9 cm / ID 18.7 cm<br>H 6.8 cm / t 0.27 mm<br>Weight To confirm | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-14-011**<br>Photo A/B/C | **Flat-rim steamer insert**<br>20B | OD 20.2 cm / ID 19.1 cm<br>H 6.5 cm / t 0.27 mm<br>Weight To confirm | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-14-012**<br>Photo A/B/C | **Flat-rim steamer insert**<br>22B | OD 20.9 cm / ID 19.8 cm<br>H 7 cm / t 0.27 mm<br>Weight 273 g | 304 SS / 201 SS<br>Grade to confirm |

| Catalogue ref. | Product / Size or ref. | Listed dimensions / weight | Listed material |
|---|---|---|---|
| **HXC-14-013**<br>Photo A/B/C | **Flat-rim steamer insert**<br>22D | OD 21.6 cm / ID 20.3 cm<br>H 6.7 cm / t 0.48 mm<br>Weight 284 g | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-14-014**<br>Photo A/B/C | **Flat-rim steamer insert**<br>24 | OD 24.7 cm / ID 23.7 cm<br>H To confirm / t 0.27 mm<br>Weight To confirm | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-14-015**<br>Photo A/B/C | **Flat-rim steamer insert**<br>26 | OD 26 cm / ID 24.8 cm<br>H To confirm / t 0.27 mm<br>Weight To confirm | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-14-016**<br>Photo A/B/C | **Flat-rim steamer insert**<br>28 | OD 28.6 cm / ID 27.5 cm<br>H To confirm / t 0.28 mm<br>Weight 258 g | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-14-017**<br>Photo A/B/C | **Flat-rim steamer insert**<br>28B | OD 27.1 cm / ID 25.2 cm<br>H 4 cm / t To confirm<br>Weight To confirm | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-14-018**<br>Photo A/B/C | **Flat-rim steamer insert**<br>32 | OD 31.4 cm / ID 30.1 cm<br>H 9.6 cm / t 0.28 mm<br>Weight To confirm | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-14-019**<br>Photo A/B/C | **Flat-rim steamer insert**<br>32B | OD 31.4 cm / ID 30.1 cm<br>H 9.6 cm / t 0.3 mm<br>Weight 334 g | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-14-020**<br>Photo A/B/C | **Flat-rim steamer insert**<br>35 | OD 36.4 cm / ID 34.9 cm<br>H 10.5 cm / t 0.35 mm<br>Weight 502 g | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-14-021**<br>Photo A/B/C | **Flat-rim steamer insert**<br>40 | OD 41.3 cm / ID 39.6 cm<br>H 11 cm / t 0.35 mm<br>Weight 633 g | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-14-022**<br>Photo A/B/C | **Flat-rim steamer insert**<br>45 | OD 45.6 cm / ID 44.2 cm<br>H 11 cm / t 0.45 mm<br>Weight 876 g | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-14-023**<br>Photo A/B/C | **Flat-rim steamer insert**<br>50 | OD 50.5 cm / ID 49.3 cm<br>H 11 cm / t 0.45 mm<br>Weight 1094 g | 304 SS / 201 SS<br>Grade to confirm |

15 / PRODUCT FAMILY

# Inward-Rolled Rim Steamer Inserts

Photographs illustrate the product family. Refer to the selection table for the listed specification.



A Product configuration



B Product configuration

| Catalogue ref. | Product / Size or ref. | Listed dimensions / weight | Listed material |
|---|---|---|---|
| **HXC-15-004**<br>Photo A/B | **Inward-rolled rim insert**<br>18 | OD 25.9 cm / ID 15.2 cm<br>H 6.5 cm / t 0.5 mm<br>Weight To confirm | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-15-005**<br>Photo A/B | **Inward-rolled rim insert**<br>18B | OD 26.5 cm / ID 15.5 cm<br>H 5.7 cm / t 0.35 mm<br>Weight To confirm | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-15-006**<br>Photo A/B | **Inward-rolled rim insert**<br>22 | OD 22.8 cm / ID 22.2 cm<br>H 7.5 cm / t 0.42 mm<br>Weight 256 g | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-15-007**<br>Photo A/B | **Inward-rolled rim insert**<br>22B | OD 22.3 cm / ID 21.4 cm<br>H 6.5 cm / t 0.45 mm<br>Weight 279 g | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-15-008**<br>Photo A/B | **Inward-rolled rim insert**<br>22C | OD 22 cm / ID 21.4 cm<br>H 6.5 cm / t 0.35 mm<br>Weight To confirm | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-15-009**<br>Photo A/B | **Inward-rolled rim insert**<br>26 | OD 26 cm / ID 25.3 cm<br>H 7.5 cm / t 0.42 mm<br>Weight To confirm | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-15-010**<br>Photo A/B | **Inward-rolled rim insert**<br>26B | OD 26.7 cm / ID 25.7 cm<br>H To confirm / t 0.4 mm<br>Weight 325 g | 304 SS / 201 SS<br>Grade to confirm |
| **HXC-15-011**<br>Photo A/B | **Inward-rolled rim insert**<br>28 | OD 28.1 cm / ID 27.5 cm<br>H 8.3 cm / t 0.41 mm<br>Weight To confirm | 304 SS / 201 SS<br>Grade to confirm |

16 / PRODUCT FAMILY

# 3-in-1 Egg Steamers

Photographs illustrate the product family. Refer to the selection table for the listed specification.



A Complete set



B Lid



C Steaming plate



D Steamer insert

| Catalogue ref. | Product / Size or ref. | Listed dimensions / weight | Listed material |
|---|---|---|---|
| **HXC-16-004**<br>Photo A | **3-in-1 egg steamer**<br>Complete set | OD 17.4 cm / ID 16.4 cm<br>H 12.3 cm / t 0.35 mm<br>Weight 307 g | 304 SS |
| **HXC-16-005**<br>Photo B | **Lid**<br>18 | OD 16.3 cm / ID 15.7 cm<br>H 5.5 cm / t 0.32 mm<br>Weight 105 g | 304 SS |
| **HXC-16-006**<br>Photo C | **Steaming plate**<br>18 | OD 16.4 cm / ID 15.5 cm<br>H 0.5 cm / t 0.3 mm<br>Weight 58 g | 304 SS |
| **HXC-16-007**<br>Photo D | **Steamer insert**<br>18 | OD 17.4 cm / ID 16.4 cm<br>H 6.8 cm / t 0.35 mm<br>Weight 144 g | 304 SS |
| **HXC-16-008**<br>Photo A | **3-in-1 egg steamer**<br>Complete set | OD 21.6 cm / ID 20.8 cm<br>H 14.8 cm / t 0.35 mm<br>Weight 492 g | 304 SS |
| **HXC-16-009**<br>Photo B | **Lid**<br>22 | OD 20.6 cm / ID 19.7 cm<br>H 6.5 cm / t 0.32 mm<br>Weight 178 g | 304 SS |
| **HXC-16-010**<br>Photo C | **Steaming plate**<br>22 | OD 20.7 cm / ID 19.5 cm<br>H 0.5 cm / t 0.32 mm<br>Weight 97 g | 304 SS |
| **HXC-16-011**<br>Photo D | **Steamer insert**<br>22 | OD 21.6 cm / ID 20.8 cm<br>H 7 cm / t 0.35 mm<br>Weight 216 g | 304 SS |

17 / PRODUCT FAMILY

# Combination Steamer Inserts

Photographs illustrate the product family. Refer to the selection table for the listed specification.



A Product configuration



B Product configuration

| Catalogue ref. | Product / Size or ref. | Listed dimensions / weight | Listed material |
|---|---|---|---|
| **HXC-17-004**<br>**Photo A/B** | **Steamer insert with plastic rim**<br>18 | OD 17.5 cm / ID 16.1 cm<br>H 6.6 cm / t 0.33 mm<br>Weight 124 g | 304 SS |
| **HXC-17-005**<br>**Photo A/B** | **Steamer insert with plastic rim**<br>18B | OD 17.2 cm / ID 16.7 cm<br>H 6 cm / t 0.27 mm<br>Weight 151 g | 201 SS |
| **HXC-17-006**<br>**Photo A/B** | **Steamer insert with plastic rim**<br>22 | OD 23 cm / ID 21 cm<br>H 6 cm / t 0.35 mm<br>Weight To confirm | 201 SS |

18 / PRODUCT FAMILY

# Grooved Steamer Inserts

Photographs illustrate the product family. Refer to the selection table for the listed specification.



A Product configuration



B Product configuration

| Catalogue ref. | Product / Size or ref. | Listed dimensions / weight | Listed material |
|---|---|---|---|
| **HXC-18-004**<br>Photo A/B | **Steamer insert with plastic components**<br>14 | OD 14 cm / ID 13 cm<br>H 5.5 cm / t To confirm<br>Weight 93.5 g | 304 SS |
| **HXC-18-005**<br>Photo A/B | **Steamer insert with plastic components**<br>18 | OD 17.4 cm / ID 16.4 cm<br>H 6.8 cm / t 0.35 mm<br>Weight 144 g | 304 SS |
| **HXC-18-006**<br>Photo A/B | **Steamer insert with plastic components**<br>18B | OD 16.5 cm / ID 15.8 cm<br>H 7.7 cm / t 0.35 mm<br>Weight To confirm | 304 SS |
| **HXC-18-007**<br>Photo A/B | **Steamer insert with plastic components**<br>22 | OD 21.6 cm / ID 20.8 cm<br>H 7 cm / t 0.35 mm<br>Weight 216 g | 304 SS |
| **HXC-18-008**<br>Photo A/B | **Steamer insert with plastic components**<br>28 | OD 27.7 cm / ID 26.5 cm<br>H 6.8 cm / t 0.35 mm<br>Weight 281 g | 201 SS |

19 / PRODUCT FAMILY

# Recessed Steamer Inserts

Photographs illustrate the product family. Refer to the selection table for the listed specification.



A Product configuration



B Product configuration

| Catalogue ref. | Product / Size or ref. | Listed dimensions / weight | Listed material |
|---|---|---|---|
| **HXC-19-004**<br>**Photo A/B** | **Recessed steamer insert**<br>16 | OD 17.4 cm / ID 16 cm<br>H 8.2 cm / t 0.44 mm<br>Weight 229 g | 304 SS |
| **HXC-19-005**<br>**Photo A/B** | **Recessed steamer insert**<br>18 | OD 19.6 cm / ID 18 cm<br>H 8.4 cm / t 0.44 mm<br>Weight 232 g | 304 SS |
| **HXC-19-006**<br>**Photo A/B** | **Recessed steamer insert**<br>20 | OD 21.6 cm / ID 20 cm<br>H 9.3 cm / t 0.44 mm<br>Weight To confirm | 304 SS |
| **HXC-19-007**<br>**Photo A/B** | **Recessed steamer insert**<br>22 | OD 23.4 cm / ID 22 cm<br>H 8.2 cm / t 0.44 mm<br>Weight To confirm | 304 SS |
| **HXC-19-008**<br>**Photo A/B** | **Recessed steamer insert**<br>24 | OD 25.3 cm / ID 24 cm<br>H 9 cm / t 0.44 mm<br>Weight To confirm | 304 SS |
| **HXC-19-009**<br>**Photo A/B** | **Recessed steamer insert**<br>26 | OD 27.3 cm / ID 26 cm<br>H 9 cm / t 0.44 mm<br>Weight To confirm | 304 SS |
| **HXC-19-010**<br>**Photo A/B** | **Recessed steamer insert**<br>28 | OD 29.2 cm / ID 28 cm<br>H 9 cm / t 0.44 mm<br>Weight To confirm | 304 SS |
| **HXC-19-011**<br>**Photo A/B** | **Recessed steamer insert**<br>30 | OD 31.8 cm / ID 30 cm<br>H 9.5 cm / t 0.44 mm<br>Weight To confirm | 304 SS |

20 / PRODUCT FAMILY

# Centre-Column Steamer Inserts

Photographs illustrate the product family. Refer to the selection table for the listed specification.



A Product configuration



B Product configuration



C Product configuration



D Product configuration

| Catalogue ref. | Product / Size or ref. | Listed dimensions / weight | Listed material |
|---|---|---|---|
| **HXC-20-004**<br>Photo A/B/C/D | **Centre-column steamer insert**<br>18 | OD 17.5 cm / ID 15.8 cm<br>H 6.5 cm / t 0.28 mm<br>Weight 128 g | 304 SS |
| **HXC-20-005**<br>Photo A/B/C/D | **Centre-column steamer insert**<br>22 | OD 22.8 cm / ID 20.7 cm<br>H 7.5 cm / t 0.35 mm<br>Weight To confirm | 304 SS |
| **HXC-20-006**<br>Photo A/B/C/D | **Centre-column steamer insert**<br>28 | OD 28 cm / ID 26 cm<br>H 8 cm / t 0.35 mm<br>Weight To confirm | 304 SS |
| **HXC-20-007**<br>Photo A/B/C/D | **Centre-column steamer insert**<br>28B | OD 29 cm / ID 28 cm<br>H 7 cm / t 0.4 mm<br>Weight 448 g | 201 SS |
| **HXC-20-008**<br>Photo A/B/C/D | **Centre-column steamer insert**<br>30 | OD 32.5 cm / ID 31.5 cm<br>H 9.5 cm / t 0.4 mm<br>Weight To confirm | 201 SS |
| **HXC-20-009**<br>Photo A/B/C/D | **Centre-column steamer insert**<br>34 | OD 33.5 cm / ID 31.5 cm<br>H 10 cm / t 0.4 mm<br>Weight To confirm | 304 SS |

21 / PRODUCT FAMILY

# Square Steaming Plates

Photographs illustrate the product family. Refer to the selection table for the listed specification.



A Product configuration



B Product configuration

| Catalogue ref. | Product / Size or ref. | Listed dimensions / weight | Listed material |
|---|---|---|---|
| **HXC-21-004**<br>**Photo A/B** | **Square steaming plate**<br>24 | OD 23.5 cm / ID 22.3 cm<br>H 1 cm / t 0.5 mm<br>Weight To confirm | 430 SS |
| **HXC-21-005**<br>**Photo A/B** | **Square steaming plate**<br>30 | OD 27.6 cm / ID 25.6 cm<br>H 1.9 cm / t 0.5 mm<br>Weight 323 g | 304 SS |

22 / PRODUCT FAMILY

# Round Steaming Trays

Photographs illustrate the product family. Refer to the selection table for the listed specification.



A Product configuration



B Product configuration



C Product configuration



D Product configuration

| Catalogue ref. | Product / Size or ref. | Listed dimensions / weight | Listed material |
|---|---|---|---|
| **HXC-22-004**<br>Photo A/B/C/D | **Round steaming tray**<br>18 | OD 16.7 cm / ID 15.7 cm<br>H 4.4 cm / t 0.35 mm<br>Weight To confirm | 304 SS |
| **HXC-22-005**<br>Photo A/B/C/D | **Round steaming tray**<br>20 | OD 19.3 cm / ID 18.8 cm<br>H 4.4 cm / t 0.5 mm<br>Weight 180 g | 304 SS |
| **HXC-22-006**<br>Photo A/B/C/D | **Round steaming tray**<br>20B | OD 19.8 cm / ID 18.7 cm<br>H 1.5 cm / t 0.3 mm<br>Weight 97 g | 316 SS |
| **HXC-22-007**<br>Photo A/B/C/D | **Round steaming tray**<br>22 | OD 22.4 cm / ID 20.2 cm<br>H 4.5 cm / t 0.4 mm<br>Weight To confirm | 304 SS |
| **HXC-22-008**<br>Photo A/B/C/D | **Round steaming tray**<br>22B | OD 23 cm / ID 22 cm<br>H 5.7 cm / t 0.35 mm<br>Weight 193 g | 304 SS |
| **HXC-22-009**<br>Photo A/B/C/D | **Round steaming tray**<br>26 | OD 27 cm / ID 26 cm<br>H 3.7 cm / t 0.4 mm<br>Weight To confirm | 304 SS |
| **HXC-22-010**<br>Photo A/B/C/D | **Round steaming tray**<br>28 | OD 29.1 cm / ID 28.2 cm<br>H 4.5 cm / t 0.4 mm<br>Weight 231 g | 304 SS |

START A CONVERSATION

# Plan your next collection

Send the catalogue reference, selected size and quantity. Share any material, handle, lid, logo or packaging requirements for review.

**WEBSITE**

hengxincookware.com

**EMAIL**

chengwujing728@gmail.com

**WHATSAPP**

+86 18054275917

# HENGXIN

Chaozhou, Guangdong, China

Product specifications, configuration and availability are confirmed for each inquiry.